

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((decod\$3 or interpret\$4) near3 (metadata or (meta adj data))) same (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:05
S2	41	((decod\$3 or interpret\$4) near3 (metadata or (meta adj data))) and (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:58
S3	353	(content with (metadata or (meta adj data))) and (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:59
S4	61	(content with (metadata or (meta adj data))) same (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:58
S5	21	(content with (metadata or (meta adj data))) and (headend or (head adj end)) and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:04
S6	0	(content with (metadata or (meta adj data))) and ((headend or (head adj end)) same (staging adj area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:05
S7	0	(content with (metadata or (meta adj data))) and (headend or (head adj end)) same (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:18
S8	3	(content with (metadata or (meta adj data))) and (headend or (head adj end)) and (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:05

S9	3	(headend or (head adj end)) same (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:19
S10	5	(headend or (head adj end)) same (staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 16:19
S11	5	(staging adj server) with distribute with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:20
S12	218	(staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:20
S13	71	(staging adj server) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:24
S14	19	(staging adj server) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:31
S15	566	(metadata or (meta adj data)) same ((decid\$3 or select\$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:32
S16	130	(metadata or (meta adj data)) with ((decid\$3 or select\$3) near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:33
S17	17	((metadata or (meta adj data)) with ((decid\$3 or select\$3) near3 server)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:33
S18	75	(nested near3 (content or asset)) and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:36

S19	2	(nested near3 (asset)) and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:34
S20	27	(nested near3 (content or asset)) and (television or tv or catv) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:37
S21	5	(recursive near3 (content or asset)) and (television or tv or catv) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:44
S22	0	xml with indentify\$3 with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:45
S23	0	xml with indentify with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:45
S24	383	xml with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:45
S25	65	(xml with content with (metadata or (meta adj data))) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:46
S26	49	(xml with content with (metadata or (meta adj data))) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:47
S27	0	((xml with content with (metadata or (meta adj data))) same (video or mpeg)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:48
S28	13	((xml with (metadata or (meta adj data))) same (video or mpeg)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:16

S29	4	"10053867"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:06
S30	0	(metadata or (meta adj data)) with identify\$3 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:08
S31	0	(metadata or (meta adj data)) same identify\$3 same server same (video or mpeg)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:07
S32	0	(metadata or (meta adj data)) same identify\$3 same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:08
S33	825	(metadata or (meta adj data)) same identify\$3 same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:08
S34	310	(metadata or (meta adj data)) with identify\$3 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:09
S35	3	(metadata or (meta adj data)) with identify\$3 with server with origin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:09
S36	49	(metadata or (meta adj data)) with identify\$3 with server with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:36
S37	1411	(identify\$3 with source with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:37
S38	0	(identify\$3 with source with server) same (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:38

S39	20	(identify\$3 with source with server) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:49
S40	206	(ftp or (file adj transfer adj protocol)) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:49
S41	52	(ftp or (file adj transfer adj protocol)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:23
S42	257	(user with (setting or specify\$3) with rules with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:25
S43	52	(user with (setting or specify\$3) with rules with content) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:26
S44	0	(user with (setting or specify\$3) with rules with content) and @ad<"20010123" and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:27
S45	1	((setting or specify\$3) with rules with content) and @ad<"20010123" and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:26
S46	25	(user with (setting or specify\$3) with rules with content) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:38
S47	9	(receiv\$3 with (metadata or (meta adj data)) with prior with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:39
S48	149	((metadata or (meta adj data)) with prior with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:39

S49	0	((metadata or (meta adj data)) with prior with content) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:40
S50	0	((metadata or (meta adj data)) with before with content) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:40
S51	0	((metadata or (meta adj data)) near3 (prior or before)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:40
S52	7	((metadata or (meta adj data)) with (prior or before)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:48
S53	47	((metadata or (meta adj data)) with (database or (data adj base)) with content) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 12:48
S54	230	(725/91).CQLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 16:05
S55	538	peyton.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:45
S56	0	peyton.in. and (local adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:45
S57	14	peyton.in. and (server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:46
S58	3	peyton.in. and (preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:47

S59	15	peyton.in. and (rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:48
S60	59	peyton.in. and (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:51
S61	257	((user with specify with (rule or preference)) same (distribut\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:52
S62	76	((user with specify with (rule or preference)) same (distribut\$3 or transfer \$4)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:52
S63	28	((user with specify with (rule or preference)) same ((distribut\$3 or transfer \$4) with content)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:54
S64	7	((user with specify with (rule or preference)) same ((distribut\$3 or transfer \$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:54
S65	0	((user with set with (rule or preference)) same ((distribut\$3 or transfer \$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:55
S66	13	((user with (rule or preference)) same ((distribut\$3 or transfer \$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:56
S67	3	((subscriber with (rule or preference)) same ((distribut\$3 or transfer \$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:03
S68	27	((survey)) same ((distribut \$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04

S69	0	((((questionnaire)) same ((distribut\$3 or transfer \$4) with movie)) and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04
S70	0	((((questionnaire)) same ((distribut\$3 or transfer \$4) with movie)) and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04
S71	9	((((question)) same ((distribut\$3 or transfer \$4) with movie)) and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:07
S72	565	herz.in. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:07
S73	19	herz.in. and @ad< "20010123" and preference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:08
S74	2	herz.in. and @ad< "20010123" and (preference same survey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:08
S75	2532	(725/86-104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 08:13
S76	14	S75 and ((metadata or (meta adj data)) with (combin\$3 or embed\$4) with (content or movie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:15
S77	57	"725"/\$.ccls. and ((metadata or (meta adj data)) with (combin\$3 or embed\$4) with (content or movie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:15
S78	3	"725"/\$.ccls. and ((metadata or (meta adj data)) with (combin\$3 or embed\$4) with (content or movie)) and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:16

S79	579	((metadata or (meta adj data)) with server with direct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:33
S80	25	((metadata or (meta adj data)) with server with direct\$3) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:33
S81	4	((metadata or (meta adj data)) with server with direct\$3) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:35
S82	1	((metadata or (meta adj data)) with server with type) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
S83	0	((metadata or (meta adj data)) with server with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
S84	0	((metadata or (meta adj data)) with server with program with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
S85	0	((metadata or (meta adj data) or xml or tag) with server with program with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
S86	0	((metadata or (meta adj data) or xml or tag) with server with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
S87	179	((metadata or (meta adj data) or xml or tag) with rout\$3with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
S88	0	((metadata or (meta adj data) or xml or tag) with rout\$3 with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38

S89	0	((metadata or (meta adj data) or xml or tag) with node with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
S90	1	((metadata or (meta adj data) or xml or tag) with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:39
S91	16	((metadata or (meta adj data) or xml or tag) with rout\$3) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:51
S92	0	(rout\$ with movie with game with (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:52
S93	0	(rout\$ with movie with game with (server or node)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:52
S94	30	(rout\$ with content with (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 09:15
S95	4	(distribut\$3 with (metadata or (meta adj data)) with (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:10
S96	2	((node or server) with (decod\$3 or pars\$3) with (metadata or (meta adj data))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:16
S97	26	((node or server) with (decod\$3 or pars\$3) with (metadata or (meta adj data))) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:12
S98	24	S97 not S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:12

S99	0	((distribut\$3) with (decod\$3 or pars\$3) with (metadata or (meta adj data))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:17
S100	14	((decod\$3 or pars\$3) with (metadata or (meta adj data))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:21
S101	0	((decod\$3 or pars\$3) with (metadata or (meta adj data))) same node) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:21
S102	5	((decod\$3 or pars\$3) with (metadata or (meta adj data))) same server) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:23
S103	6	((decod\$3 or pars\$3) with (tag)) same (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:26
S104	1	((decod\$3 or pars\$3) with (tag) with destination) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:27
S105	1	((decod\$3 or pars\$3) with (metadata or (meta adj data) or tag) with destination) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:27
S106	2	((metadata or (meta adj data) or tag) with (destination near3 (server or node))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:37
S107	2	("5434978").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 12:29
S108	16	((metadata or (meta adj data) or tag) with (path)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:37

S109	0	((metadata or (meta adj data) or tag) with (path) with (node or server)) and "725"/\$.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:38
S110	1	((metadata or (meta adj data) or tag) with (path)) same (node or server)) and "725"/\$.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S111	0	(staging adj server) and "725"/32-36.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S112	0	(staging near3 server) and "725"/32-36.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S113	0	(staging near3 node) and "725"/32-36.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
S114	1	(staging) and "725"/32-36.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:45
S115	72	"725"/36.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:45
S116	5	"725"/36.ccls. and @ad< "20010123" and (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:46
S117	1	"725"/36.ccls. and @ad< "20010123" and ((metadata or (meta adj data)) with (server or node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:46
S118	0	(staging adj server) and "725"/32-36.ccls. and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 09:33

S119	0	@ad<"20010123" and 725/32-36.ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) with (store or stored or storing or record \$3) with (ap or app or application or function or action or script))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 09:27
S120	21	@ad<"20010123" and 725/32-36.ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) same (store or stored or storing or record \$3) same (ap or app or application or function or action or script))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:25
S121	0	@ad<"20010123" and 725/32-36.ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) same (staging adj server) same (identif \$5 near2 (server or origin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
S122	0	@ad<"20010123" and 725/32-36.ccls. and ((tag or metadata or meta or html or xml or (enhanced adj data)) same (staging adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
S123	0	@ad<"20010123" and 725/32-36.ccls. and ((staging adj server) same (identif\$5 near2 (server or origin)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
S124	0	@ad<"20010123" and 725/32-36.ccls. and ((staging adj server) with (identif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
S125	0	@ad<"20010123" and 725/32-36.ccls. and ((staging adj server) with (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:26
S126	0	@ad<"20010123" and 725/32-36.ccls. and ((staging adj server) same (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27

S127	0	@ad<"20010123" and 725/32-36.ccls. and ((staging) same (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
S128	2	@ad<"20010123" and 725/32-36.ccls. and ((node) same (origin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
S129	28	@ad<"20010123" and 725/32-36.ccls. and ((node) same (origin or location or identi\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
S130	5	@ad<"20010123" and 725/32-36.ccls. and ((node) same ((origin or location or identi\$5) near3 (node or server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:29
S131	0	@ad<"20010123" and 725/32-36.ccls. and (staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:29
S132	1	@ad<"20010123" and 725/32-36.ccls. and (node with (tag or metadata or meta or html or xml or (enhanced adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:32
S133	22	@ad<"20010123" and 725/32-36.ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34
S134	0	@ad<"20010123" and 725/32-36.ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:33
S135	0	@ad<"20010123" and 725/32-36.ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with company)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34

S136	0	@ad< "20010123" and 725/32-36.ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with firm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34
S137	0	@ad< "20010123" and 725/32-36.ccls. and (server with (tag or metadata or meta or html or xml or (enhanced adj data)) with organization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:34
S138	22	((receiv\$3 with (metadata or (meta adj data)) with prior with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 16:11
S139	86	((staging adj server) and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:07
S140	23	((metadata or (meta adj data)) with ((decid\$3 or select\$3) near3 server)) and @ad< "20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/28 11:19
S141	84	@ad< "20010123" and (staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 14:45
S142	0	@ad< "20010123" and ((staging adj server) same (execut\$3 with (program or application)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 14:46
S143	3	@ad< "20010123" and "725"/\$.ccls. and ((staging adj server) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 14:47
S144	2	"5661516".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 14:55
S145	4	@ad< "20010123" and "725"/\$.ccls. and (gateway with server with (home or household))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:45

S146	2	@ad<"20010123" and "725"/82.ccls. and (gateway with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:47
S147	1	@ad<"20010123" and "725"/82.ccls. and ((rout \$3 or direct\$3) with (metadata or meta))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:49
S148	2	@ad<"20010123" and "725"/82.ccls. and ((content or asset or movie or video) with (metadata or meta))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:50
S149	2	@ad<"20010123" and "725"/82.ccls. and ((metadata or meta))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:52
S150	8	@ad<"20010123" and "725"/82.ccls. and ((rout \$3 or direct or directed or directing) with (content or movie or asset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:53
S151	0	@ad<"20010123" and "725"/82.ccls. and 725/34.ccls. and ((rout\$3 or direct or directed or directing) with (content or movie or asset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:58
S152	2	@ad<"20010123" and "725"/82.ccls. and 725/34.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:58
S153	116	@ad<"20010123" and 725/34.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:59
S154	61	@ad<"20010123" and 725/34.ccls. and (server or gateway or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:03
S155	27	@ad<"20010123" and 725/34.ccls. and ((server or gateway or router) with (home or household or local\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:03

S156	11	@ad< "20010123" and 725/34.ccls. and (((server or gateway or router) with (home or household or local\$3)) same (ad or advail or avail advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:06
S157	1	@ad< "20010123" and 725/34.ccls. and (headend with server with (household or local\$4 or house or home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:15
S158	0	@ad< "20010123" and 725/34.ccls. and (gateway with server with (household or local\$4 or house or home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:22
S159	1	@ad< "20010123" and 725/34.ccls. and (gateway with (household or local\$4 or house or home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:22
S160	5	@ad< "20010123" and 725/32-36.ccls. and (gateway with (household or local\$4 or house or home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:23
S161	11	@ad< "20010123" and 725/32-36,74-85.ccls. and (gateway near3 (household or local\$4 or house or home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:28
S162	1	@ad< "20010123" and 725/32-36,74-85.ccls. and (((gateway near3 (household or local\$4 or house or home)) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:32
S163	2	@ad< "20010123" and 725/74-85.ccls. and (((gateway with (household or local\$4 or house or home)) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:34
S164	14	@ad< "20010123" and 725/74-85.ccls. and (((gateway with (household or local\$4 or house or home)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:37

S165	7	@ad<"20010123" and 725/74-85.ccls. and (gateway near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:41
S166	1	@ad<"20010123" and 725/74-85.ccls. and ((gateway near3 server) same (house or household or home or local\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:42
S167	46	@ad<"20010123" and 725/74-85.ccls. and (gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:45
S168	13	@ad<"20010123" and 725/74-85.ccls. and (gateway with distribu\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:45
S169	6	@ad<"20010123" and 725/32-36.ccls. and (gateway with (distribu\$4 or routing or route or routed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:49
S170	3	@ad<"20010123" and 725/32-36.ccls. and (gateway same ((distribu\$4 or routing or route or routed) with (ad or advail or avail or advertisement or commercial)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:51
S171	4	@ad<"20010123" and 725/32-36.ccls. and (((gateway or server) with (local\$4 or house or household or home)) same ((distribu\$4 or routing or route or routed) with (ad or advail or avail or advertisement or commercial)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 12:53
S172	2	@ad<"20010123" and 725/32-36.ccls. and ((local near2 (gateway or server)) with headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 13:01
S173	3	@ad<"20010123" and 725/32-36.ccls. and (((local or home or house or household) near2 (gateway or server)) with headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 13:05

S174	0	@ad< "20010123" and ((process\$3 or sort\$3) with (content) with (metadata or meta) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 18:52
S175	0	@ad< "20010123" and ((process\$3 or sort\$3) with (content or movie or data) with (metadata or meta) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 18:55
S176	0	@ad< "20010123" and "725"/\$.ccls. and ((process\$3 or sort\$3) with (metadata or meta) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 18:55
S177	0	@ad< "20010123" and ((process\$3 or sort\$3) with (metadata or meta) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 18:55
S178	12	@ad< "20010123" and "725"/\$.ccls. and ((process\$3 or sort\$3) with (metadata or meta) with (headend or server or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 18:55
S179	3	@ad< "20010123" and "725"/\$.ccls. and ((process\$3 or sort\$3) with (metadata or meta) with (content or movie) with (headend or server or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 18:56
S180	9	S178 not S179	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 19:00
S181	0	@ad< "20010123" and 725/32-36.ccls. and (stag\$3 adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 10:57
S182	6	@ad< "20010123" and "725"/\$.ccls. and (stag\$3 adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 10:57

S183	0	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 adj server) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 10:57
S184	1	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 adj server) same (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 10:58
S185	1	"20020104093".pn. and (staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:48
S186	1	"20020104093".pn. and ((staging adj server) with asset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:48
S187	1	"20020104093".pn. and ((staging adj server) with stor\$3 with asset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:49
S188	2151	@ad<"20010123" and ((stag\$3 adj server) with rout\$3 (content adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:52
S189	100	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 adj server) with rout\$3 (content adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:52
S190	2	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 adj server) with rout\$3 (content adj server) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:53
S191	0	@ad<"20010123" and ((stag\$3 adj server) with rout\$3 with (content adj server) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:55
S192	0	@ad<"20010123" and ((stag\$3 adj server) with rout\$3 with (content adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:55

S193	9	@ad<"20010123" and ((stag\$3 adj server) with rout\$3 with ((content or video or node) near3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:55
S194	1	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 adj server) with rout\$3 with ((content or video or node) near3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:55
S195	9	@ad<"20010123" and ((stag\$3 adj server) with (rout\$3 or sort\$3) with ((content or video) near3 (server or node or router)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:58
S196	0	S195 not S193	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:59
S197	9	@ad<"20010123" and ((stag\$3 near2 server) with (rout\$3 or sort\$3) with ((content or video) near3 (server or node or router)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:59
S198	9	@ad<"20010123" and ((stag\$3 near2 (server or buffer)) with (rout\$3 or sort\$3) with ((content or video) near3 (server or node or router)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 11:59
S199	1	@ad<"20010123" and "725"/\$.ccls. and ((sort\$3 or rout\$3) with (content or video) with (server or node) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:01
S200	4	@ad<"20010123" and ((sort\$3 or rout\$3) with (content or video or asset) with (server or node) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:01
S201	0	@ad<"20010123" and ((sort\$3 or rout\$3) with stag\$3 with (server or node) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:07

S202	0	@ad<"20010123" and ((sort\$3 or rout\$3) with (content or video or asset) with stag\$3 with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:08
S203	38	@ad<"20010123" and ((sort\$3 or rout\$3) with (content or video or asset) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:08
S204	2	@ad<"20010123" and "725"/\$.ccls. and ((sort\$3 or rout\$3) with (content or video or asset) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:08
S205	0	@ad<"20010123" and "725"/32-36.ccls. and (stag \$3 with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:10
S206	1	@ad<"20010123" and "725"/32-36.ccls. and (stag \$3 same node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:10
S207	2	@ad<"20010123" and "725"/32-36.ccls. and (buffer\$4 with (node or server or router) with (sort or rout\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:11
S208	9	@ad<"20010123" and "725"/\$.ccls. and ((epg or ipg or (program\$4 adj guide) near2 server) same ((vod or nvod or demand) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:15
S209	4	@ad<"20010123" and "725"/\$.ccls. and (((epg or ipg or (program\$4 adj guide)) near2 server) same ((vod or nvod or demand) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:17
S210	0	@ad<"20010123" and (((epg or ipg or (program \$4 adj guide)) near2 server) same ((vod or nvod or demand) near2 server) same (gam\$3 near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:19

S211	4	@ad<"20010123" and (((epg or ipg or (program \$4 adj guide)) near2 server) same ((vod or nvod or demand) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:19
S212	0	S211 not S209	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:19
S213	9	@ad<"20010123" and (((vod or nvod or demand) near2 server) same (gam\$3 near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:19
S214	0	@ad<"20010123" and (((vod or nvod or demand) near2 server) same (gam\$3 near2 server) same (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 12:20
S215	0	@ad<"20010123" and "725"/\$.ccls. and (((vod or nvod or demand) near2 server) with (gam\$3 near2 server) with ((epg or ipg or (program\$4 adj guide)) near2 server) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 14:58
S216	0	@ad<"20010123" and "725"/\$.ccls. and (((vod or nvod or demand) near2 server) with (gam\$3 near2 server) with ((epg or ipg or (program\$4 adj guide)) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 14:59
S217	3	@ad<"20010123" and "725"/\$.ccls. and (((vod or nvod or demand) near2 server) with ((epg or ipg or (program\$4 adj guide)) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 14:59
S218	3	@ad<"20010123" and "725"/\$.ccls. and (((vod or nvod or demand) near2 server) with ((epg or ipg or (program\$4 adj guide)) near2 server) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 14:59

S219	3	@ad< "20010123" and "725"/\$.ccls. and (((vod or nvod or demand) near2 server) with ((epg or ipg or (program\$4 adj guide)) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:00
S220	3	@ad< "20010123" and (((vod or nvod or demand) near2 server) with ((epg or ipg or (program\$4 adj guide)) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:00
S221	7	@ad< "20010123" and (((vod or nvod or demand) near2 server) with ((game or gaming) near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:01
S222	0	@ad< "20010123" and (((vod or nvod or demand) near2 server) with ((game or gaming) near2 server) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:01
S223	0	@ad< "20010123" and (((vod or nvod or demand) near2 server) with ((ppv or (pay adj per)) near2 server) with (interactive near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:07
S224	10	@ad< "20010123" and (((vod or nvod or demand) near2 server) with (interactive near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:07
S225	0	@ad< "20010123" and (((vod or nvod or demand) near2 server) same ((ppv or (pay adj per)) near2 server) same (interactive near2 server) same (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:07
S226	0	@ad< "20010123" and (((vod or nvod or demand) near2 server) same ((ppv or (pay adj per)) near2 server) same (interactive near2 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:08

S227	0	@ad<"20010123" and "725"/\$.ccls. and (servers? with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:12
S228	110	@ad<"20010123" and "725"/\$.ccls. and (servers! with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:13
S229	24	@ad<"20010123" and "725"/\$.ccls. and (servers! with (multiple or plurality) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:13
S230	3	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 or buffer\$4) with (distribut \$3 or rout\$3 or sort or stor \$3) with server with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:40
S231	163	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 or buffer\$4) with (distribut \$3 or rout\$3 or sort or stor \$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:44
S232	3	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 or buffer\$4) with (distribut \$3 or rout\$3 or sort or stor \$3) with server with provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:45
S233	2	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 or buffer\$4) with (distribut \$3 or rout\$3 or sort or stor \$3) with server with satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:47
S234	7	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 or buffer\$4) with server with (satellite or provider))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:47
S235	20	@ad<"20010123" and ((stag\$3 or buffer\$4) with server with (satellite or provider) with (sort\$3 or distribut\$3 or stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 15:52

S236	45	@ad<"20010123" and "725"/\$.ccls. and (stag\$3 near2 (server or buffer \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 16:04
S237	0	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 near2 (server or buffer \$4)) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 16:05
S238	0	@ad<"20010123" and "725"/\$.ccls. and ((stag\$3 near2 (server or buffer \$4)) with (provider or distributor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 16:05
S239	16	@ad<"20010123" and "725"/\$.ccls. and (stag\$3 adj (server or buffer\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 16:06
S240	2	"20020104093".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/27 10:52
S241	5	@ad<"20010123" and "725"/\$.ccls. and ((application or execut\$5 or software or program) with (content) with type with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 11:04
S242	13	@ad<"20010123" and "725"/\$.ccls. and ((application or execut\$5 or software or program) with (content) with type with identify\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 11:06
S243	0	@ad<"20010123" and "725"/\$.ccls. and ((application or execut\$5 or software or program) with (content) with type with identify\$3 with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 11:07

S244	1	@ad<"20010123" and "725"/\$.ccls. and ((application or execut\$5 or software or program) with (epg or ipg or (program\$4 adj guide)) with (vod or nvod or (on adj demand)) with identify \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 11:09
S245	6	@ad<"20010123" and "725"/\$.ccls. and ((application or execut\$5 or software or program) with (epg or ipg or (program\$4 adj guide)) with (vod or nvod or (on adj demand)) with (headend or (head adj end) or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 11:10
S246	8	@ad<"20010123" and ((application or execut\$5 or software or program) with (epg or ipg or (program\$4 adj guide)) with (vod or nvod or (on adj demand)) with (headend or (head adj end) or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 11:13
S247	2	S246 not S245	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 11:13
S248	8939	@ad<"20010123" and ((application or execut\$5 or software or program) with run\$4 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:08
S249	169	@ad<"20010123" and "725"/\$.ccls. and ((application or execut\$5 or software or program) with run\$4 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:08
S250	0	@ad<"20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) with run\$4 with server) same (epg or ipg or (program\$4 adj guide)) same (vod or nvod or (on adj demand) or ppv or (pay adj per)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:09

S251	0	@ad<"20010123" and (((application or execut\$5 or software or program) with run\$4 with server) same (epg or ipg or (program\$4 adj guide)) same (vod or nvod or (on adj demand) or ppv or (pay adj per)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:10
S252	21	@ad<"20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) with server) same (epg or ipg or (program\$4 adj guide)) same (vod or nvod or (on adj demand) or ppv or (pay adj per)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:10
S253	37	@ad<"20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) with (server or computer)) same (epg or ipg or (program\$4 adj guide)) same (vod or nvod or (on adj demand) or ppv or (pay adj per)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:11
S254	4	@ad<"20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) with (server or computer)) with (epg or ipg or (program\$4 adj guide)) with (vod or nvod or (on adj demand) or ppv or (pay adj per)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:11
S255	15	@ad<"20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) with server with run\$4 with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:24
S256	522	@ad<"20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) with (multiple or plurality) with (headend or server or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:36

S257	237	@ad< "20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) near2 (multiple or plurality)) with (headend or server or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:36
S258	27	@ad< "20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) near2 (multiple or plurality)) with (headend or (head adj end)) with (server or computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:37
S259	0	@ad< "20010123" and "725"/\$.ccls. and (((application or execut\$5 or software or program) near2 (multiple or plurality)) with (run\$4) with (headend or (head adj end)) with (server or computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:37
S260	0	@ad< "20010123" and "725"/\$.ccls. and ((sort\$3 or rout\$3) with (metadata or meta) with (server or database or (data adj base)) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:56
S261	0	@ad< "20010123" and ((sort\$3 or rout\$3) with (metadata or meta) with (server or database or (data adj base)) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:57
S262	0	@ad< "20010123" and ((sort\$3 or rout\$3 or storing) with (metadata or meta) with (server or database or (data adj base)) with (headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:57
S263	305	@ad< "20010123" and ((sort\$3 or rout\$3 or storing) with (metadata or meta) with (server or database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:57

S264	13	@ad<"20010123" and ((sort\$3) with (metadata or meta) with (server or database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:57
S265	0	@ad<"20010123" and ((sort\$3) with (metadata or meta) with server with wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 16:00
S266	0	@ad<"20010123" and ((sort\$3) with (metadata or meta) with wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 16:00
S267	3	@ad<"20010123" and ((server) with (metadata or meta) with wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 16:00
S268	4	"6493876".pn. "6792616".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:44
S269	3	("6493876".pn. "6792616".pn.) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:46
S270	3	("6493876".pn. "6792616".pn.) and (server with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:46
S271	0	@ad<"20010123" and "725"/\$.ccls. and ((metadata or meta) same recursive same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:03
S272	0	@ad<"20010123" and "725"/\$.ccls. and ((metadata or meta) with xml) and (recursive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:03
S273	1	@ad<"20010123" and "725"/86-104.ccls. and ((metadata or meta) with xml) \	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:04

S274	1	@ad<"20010123" and "725"/86-104.ccls. and ((metadata or meta) with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:04
S275	7	@ad<"20010123" and "725"/\$.ccls. and ((application or mod or vod) with (server or identifier) with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:05
S276	0	@ad<"20010123" and "725"/\$.ccls. and ((metadata or meta) with xml with movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:09
S277	0	@ad<"20010123" and "725"/\$.ccls. and (((metadata or meta) with movie) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:09
S278	1	@ad<"20010123" and ((metadata or meta) with movie with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:10
S279	222	@ad<"20010123" and ((metadata or meta) near2 xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:10
S280	3	@ad<"20010123" and "725"/\$.ccls. and ((metadata or meta) near2 xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:10
S281	0	@ad<"20010123" and "725"/86-104.ccls. and (xml with identif\$4 with movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:12
S282	0	@ad<"20010123" and "725"/86-104.ccls. and (xml near2 movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:12
S283	0	@ad<"20010123" and "725"/\$.ccls. and (xml near2 movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:12

S284	0	@ad<"20010123" and (xml near2 movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:12
S285	401	@ad<"20010123" and (xml near2 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:13
S286	0	@ad<"20010123" and 725/86-104.ccls. and (xml near2 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:13
S287	7	@ad<"20010123" and "725"/\$.ccls. and (xml near2 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:13
S288	0	@ad<"20010123" and "725"/\$.ccls. and (database with headend with (html or xml))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:20
S289	10	@ad<"20010123" and "725"/\$.ccls. and (database with headend with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:21
S290	6	@ad<"20010123" and "725"/86-104.ccls. and (database with headend with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:21
S291	0	@ad<"20010123" and ((staging adj server) with ftp with (content adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:25
S292	0	@ad<"20010123" and ((staging adj server) with (ftp or (file adj transfer adj protocol)) with (content adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:26
S293	5	@ad<"20010123" and ((staging adj server) with (ftp or (file adj transfer adj protocol)) with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:26

S294	1229	@ad<"20010123" and (transfer\$4 with (ftp or (file adj transfer adj protocol)) with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:27
S295	25	@ad<"20010123" and "725"/\$.ccls. and (transfer \$4 with (ftp or (file adj transfer adj protocol)) with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:27
S296	2	@ad<"20010123" and "725"/\$.ccls. and (transfer \$4 with (ftp or (file adj transfer adj protocol)) with between with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:28
S297	146	@ad<"20010123" and (transfer\$4 with (ftp or (file adj transfer adj protocol)) with between with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:29
S298	127	@ad<"20010123" and (transfer\$4 with (ftp or (file adj transfer adj protocol)) with between with (server!))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:29
S299	0	@ad<"20010123" and (transfer\$4 with (ftp or (file adj transfer adj protocol)) with between with (servers?))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:29
S300	33	@ad<"20010123" and (transfer\$4 with (ftp or (file adj transfer adj protocol)) with between with (servers!))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:29

11/ 21/ 2009 1:13:42 PM

C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces\asset_10053867.wsp